

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

STODDARD

County Base Map

(Records are Sorted by Township, Range, and Section)

LOG ID:
025460

WELL TYPE
Private Well

DRILL DATE: 1967// TOWNSHIP 23N RANGE 9E SECTION 1 ELEVATION: 301FT
DRILL DEPTH: 80FT UTM X 765,104.03 UTM Y 4,062,275.13
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 2 MI W OF BERNIE, 0.5 MI E OF RIDGE
S.W.L. (AFTER CASING):

LOG ID:
022537

WELL TYPE
Private Well

DRILL DATE: 1964/01/ TOWNSHIP 23N RANGE 10E SECTION 2 ELEVATION: 283FT
DRILL DEPTH: 65FT UTM X 773,054.14 UTM Y 4,061,549.14
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1 MI E OF BERNIE
S.W.L. (AFTER CASING): 10

LOG ID:
028043

WELL TYPE
Community Public Well

DRILL DATE: 1976/04/27 TOWNSHIP 23N RANGE 10E SECTION 3 ELEVATION: 300FT
DRILL DEPTH: 140FT UTM X 771,020.12 UTM Y 4,062,204.13
DEPTH TO BED: 130FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 30 ft of 8 inch screen at bottom of well
S.W.L. (AFTER CASING):

LOG ID:
016565

WELL TYPE
Community Public Well

DRILL DATE: 1957/08/02 TOWNSHIP 23N RANGE 10E SECTION 3 ELEVATION: 298FT
DRILL DEPTH: 120FT UTM X 770,820.12 UTM Y 4,062,632.13
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: CITY HALL LOT
S.W.L. (AFTER CASING): 17



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012887**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1954//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	307FT
<u>DRILL DEPTH:</u>	91FT	23N	10E	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					771,120.12	4,062,311.13
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	9 MI S OF DEXTER ON HWY 25, 50' E OF W TOWER; WELL			
<u>S.W.L. (AFTER CASING):</u>	14		ABANDONED, DRYED UP			

LOG ID:**014337**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1956/02/28	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	305FT
<u>DRILL DEPTH:</u>	110FT	23N	10E	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	105FT				771,020.12	4,062,418.13
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	IN STREET SE OF OLD WATER TOWER			
<u>S.W.L. (AFTER CASING):</u>	21					

LOG ID:**020964**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1962/02/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	302FT
<u>DRILL DEPTH:</u>	170FT	23N	10E	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					771,020.12	4,061,778.13
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	19					

LOG ID:**005946**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1940/03/30	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	303FT
<u>DRILL DEPTH:</u>	690FT	23N	10E	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	135FT				771,020.12	4,062,418.13
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	IN WIDE ALLEY BEHIND MAIN BUSINESS BLOCK; FLOWS IN 1959,			
<u>S.W.L. (AFTER CASING):</u>			NOT IN USE			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**025459**WELL TYPE

Private Well

DRILL DATE: 1967/10/16TOWNSHIP RANGE SECTIONELEVATION: 300FTDRILL DEPTH: 115FT

23N 10E 6

DEPTH TO BED:UTM X UTM Y
765,899.04 4,062,512.13
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 2 MI W OF BERNIES.W.L. (AFTER CASING): 8**LOG ID:****025457**WELL TYPE

Private Well

DRILL DATE: 1967/10/16TOWNSHIP RANGE SECTIONELEVATION: 280FTDRILL DEPTH: 90FT

23N 11E 12

DEPTH TO BED:UTM X UTM Y
783,647.26 4,060,181.20
ZONE 15S.W.L. (BEFORE CASING):REMARKS: formerly in name of Scott Parker - 2 MI N OF PARMA ON #8 DITCHS.W.L. (AFTER CASING):**LOG ID:****006975**WELL TYPE

Private Well

DRILL DATE: 1941/05/28TOWNSHIP RANGE SECTIONELEVATION: 352FTDRILL DEPTH: 224FT

24N 9E 1

DEPTH TO BED: 35FTUTM X UTM Y
764,020.00 4,071,008.15
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 6 MI SW OF DEXTERS.W.L. (AFTER CASING): 30**LOG ID:****021437**WELL TYPE

Private Well

DRILL DATE: 1962/06/TOWNSHIP RANGE SECTIONELEVATION: 331FTDRILL DEPTH: 105FT

24N 9E 11

DEPTH TO BED: 100FTUTM X UTM Y
762,889.97 4,070,202.16
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 10 MI SW OF DEXTERS.W.L. (AFTER CASING): 12



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020783**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1961/06/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	330FT
<u>DRILL DEPTH:</u>	86FT	24N	9E	11	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				763,489.99	4,070,202.16
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	16	<u>REMARKS:</u> 5 MI W, 6 MI S OF DEXTER				

LOG ID:**019096**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1960/04/18	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	336FT
<u>DRILL DEPTH:</u>	85FT	24N	9E	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	80FT				763,216.98	4,068,687.15
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	18	<u>REMARKS:</u> 4 MI S OF HWY 60, 5 MI W OF DEXTER				

LOG ID:**019097**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1959/11/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	326FT
<u>DRILL DEPTH:</u>	100FT	24N	9E	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					761,275.94	4,068,240.17
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	16	<u>REMARKS:</u> 4 MI S OF HWY 60, 0.5 MI W OF DEXTER				

LOG ID:**019090**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1959/11/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	328FT
<u>DRILL DEPTH:</u>	120FT	24N	9E	16	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					760,427.91	4,068,610.17
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	16	<u>REMARKS:</u> 4 MI S OF HWY 60, 8 MI W OF DEXTER				



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**025455**WELL TYPE

Private Well

DRILL DATE: 1967/05/25TOWNSHIPRANGESECTIONELEVATION:

350FT

DRILL DEPTH: 90FT

24N

9E

26

UTM XUTM YDEPTH TO BED: 80FT

763,775.00

4,065,666.14

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 2 MI N OF JCT HWYS U & H, 1.25 MI E OF HWY H, 5 MI E OF
BERNIES.W.L. (AFTER CASING):**LOG ID:****025326**WELL TYPE

Private Well

DRILL DATE: 1967/05/18TOWNSHIPRANGESECTIONELEVATION:

335FT

DRILL DEPTH: 90FT

24N

9E

26

UTM XUTM YDEPTH TO BED:

762,574.97

4,064,840.15

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 2 MI N OF JCT HWYS U & H, 1.25 MI E OF HWY H, 5 MI W OF
BERNIES.W.L. (AFTER CASING):**LOG ID:****020740**WELL TYPE

Private Well

DRILL DATE: 1962/01/20TOWNSHIPRANGESECTIONELEVATION:

294FT

DRILL DEPTH: 375FT

24N

10E

2

UTM XUTM YDEPTH TO BED: 70FT

773,401.15

4,072,022.15

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: SAME WALL AS #20771, SEE 20771 FOR COMPLETE LOGS.W.L. (AFTER CASING):**LOG ID:****020771**WELL TYPE

Private Well

DRILL DATE: 1961/09/30TOWNSHIPRANGESECTIONELEVATION:

294FT

DRILL DEPTH: 375FT

24N

10E

2

UTM XUTM YDEPTH TO BED: 50FT

773,401.15

4,072,022.15

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: SAME WELL AS #20740; 2.5 MI S, 1 MI E OF DEXTERS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**025458**WELL TYPE

Private Well

DRILL DATE: 1967/10/16TOWNSHIP RANGE SECTIONELEVATION: 303FTDRILL DEPTH: 90FT

24N 10E 31

UTM X UTM YDEPTH TO BED:766,076.05 4,063,928.13
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 2 MI E OF "RIDGE" W OF BERNIES.W.L. (AFTER CASING):**LOG ID:****021572**WELL TYPE

Private Well

DRILL DATE: 1962/11/TOWNSHIP RANGE SECTIONELEVATION: 312FTDRILL DEPTH: 75FT

24N 10E 9

UTM X UTM YDEPTH TO BED: 70FT769,371.11 4,070,647.13
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 4 MI S OF DEXTERS.W.L. (AFTER CASING): 21**LOG ID:****021574**WELL TYPE

Private Well

DRILL DATE: 1962/11/TOWNSHIP RANGE SECTIONELEVATION: 312FTDRILL DEPTH: 67FT

24N 10E 9

UTM X UTM YDEPTH TO BED: 65FT769,671.11 4,070,853.13
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 4 MI S OF DEXTERS.W.L. (AFTER CASING): 12**LOG ID:****018550**WELL TYPE

Private Well

DRILL DATE: 1959/09/TOWNSHIP RANGE SECTIONELEVATION: 302FTDRILL DEPTH: 65FT

24N 12E 34

UTM X UTM YDEPTH TO BED:790,838.33 4,064,845.23
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 6 MI NW OF MOREHOUSES.W.L. (AFTER CASING): 15



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**021060**WELL TYPE

Private Well

DRILL DATE: 1962/05/ TOWNSHIP 25N RANGE 8E SECTION 15 ELEVATION: 336FT
DRILL DEPTH: 109FT UTM X 751,952.69 UTM Y 4,077,475.32
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 2 MI E, 2 MI N OF FISK
S.W.L. (AFTER CASING): 10

LOG ID:**008751**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1944/08/04 TOWNSHIP 25N RANGE 8E SECTION 21 ELEVATION: 328FT
DRILL DEPTH: 50FT UTM X 750,041.64 UTM Y 4,075,924.32
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 15

LOG ID:**025435**WELL TYPE

Private Well

DRILL DATE: 1967/05/21 TOWNSHIP 25N RANGE 8E SECTION 23 ELEVATION: 327FT
DRILL DEPTH: 110FT UTM X 752,841.71 UTM Y 4,076,320.30
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1 MI E OF JCT HWYS 60 & 51, 1500' N
S.W.L. (AFTER CASING): 10

LOG ID:**025346**WELL TYPE

Private Well

DRILL DATE: 1967/04/18 TOWNSHIP 25N RANGE 9E SECTION 13 ELEVATION: 335FT
DRILL DEPTH: 125FT UTM X 763,880.97 UTM Y 4,077,587.23
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 0.25 MI E, 0.25 MI N OF DUDLEY
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
022271

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 347FT
25N 9E 16
DRILL DEPTH: 33FT UTM X UTM Y
DEPTH TO BED: 759,244.86 4,077,345.27
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1 MI N OF DUDLEY
S.W.L. (AFTER CASING): 27

LOG ID:
025454

WELL TYPE
Community Public Well

DRILL DATE: 1968/02/23 TOWNSHIP RANGE SECTION ELEVATION: 353FT
25N 9E 21
DRILL DEPTH: 152FT UTM X UTM Y
DEPTH TO BED: 759,326.87 4,075,743.25
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 31

LOG ID:
010868

WELL TYPE
Oil Well

DRILL DATE: 1948// TOWNSHIP RANGE SECTION ELEVATION: 345FT
25N 9E 6
DRILL DEPTH: 1,860FT UTM X UTM Y
DEPTH TO BED: 235FT 756,605.79 4,080,508.32
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #1 HIGGINS; DRY & ABANDONED
S.W.L. (AFTER CASING):

LOG ID:
020928

WELL TYPE
Private Well

DRILL DATE: 1962/04/ TOWNSHIP RANGE SECTION ELEVATION: 341FT
25N 9E 9
DRILL DEPTH: 115FT UTM X UTM Y
DEPTH TO BED: 759,033.85 4,079,367.29
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 2.5 MI N OF DUDLEY
S.W.L. (AFTER CASING): 21



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
019735

WELL TYPE
Private Well

DRILL DATE: 1960/10/25 TOWNSHIP 25N RANGE 10E SECTION 11 ELEVATION: 540FT
DRILL DEPTH: 140FT UTM X 772,518.11 UTM Y 4,079,688.22
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 2.5 MI N OF DEXTER; LOGGED AS LAFAYETTE & WILCOX
S.W.L. (AFTER CASING): 90

LOG ID:
027359

WELL TYPE
Community Public Well

DRILL DATE: 1970/07/22 TOWNSHIP 25N RANGE 10E SECTION 15 ELEVATION: 459FT
DRILL DEPTH: 103FT UTM X 771,787.10 UTM Y 4,078,780.22
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1 MI N OF DEXTER, 0.5 MI W OF (OR ON) HWY 25
S.W.L. (AFTER CASING): 60

LOG ID:
007905

WELL TYPE
Private Well

DRILL DATE: 1942/08/08 TOWNSHIP 25N RANGE 10E SECTION 15 ELEVATION: 483FT
DRILL DEPTH: 202FT UTM X 771,538.10 UTM Y 4,078,391.21
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 1 MI N OF DEXTER, ON HILL
S.W.L. (AFTER CASING):

LOG ID:
019746

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1960/12/29 TOWNSHIP 25N RANGE 10E SECTION 16 ELEVATION: 380FT
DRILL DEPTH: 260FT UTM X 769,703.09 UTM Y 4,077,545.20
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 2 MI W OF DEXTER; WATER QUALITY POOR, WELL ABANDONED
S.W.L. (AFTER CASING): 60 IN 1974.



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027192**WELL TYPE

Community Public Well

DRILL DATE: 1973/03/05TOWNSHIPRANGESECTIONELEVATION:

435FT

DRILL DEPTH: 520FT

25N

10E

17

DEPTH TO BED: 15FTUTM XUTM Y

768,468.07

4,077,512.20

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL DEEPENED 279-520'S.W.L. (AFTER CASING): 52**LOG ID:****027283**WELL TYPE

Community Public Well

DRILL DATE: 1973/03/14TOWNSHIPRANGESECTIONELEVATION:

435FT

DRILL DEPTH: 550FT

25N

10E

17

DEPTH TO BED: 35FTUTM XUTM Y

768,532.07

4,077,628.20

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL DEEPENED 285-550'S.W.L. (AFTER CASING): 46**LOG ID:****020735**WELL TYPE

Private Well

DRILL DATE: 1962/01/TOWNSHIPRANGESECTIONELEVATION:

378FT

DRILL DEPTH: 240FT

25N

10E

17

DEPTH TO BED: 20FTUTM XUTM Y

767,968.06

4,078,643.22

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2 MI W, 1 MI N OF DEXTERS.W.L. (AFTER CASING): 60**LOG ID:****012564**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1954/02/TOWNSHIPRANGESECTIONELEVATION:

576FT

DRILL DEPTH: 148FT

25N

10E

2

DEPTH TO BED: 90FTUTM XUTM Y

772,645.10

4,081,186.24

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 113



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008363**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1943/07/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	370FT
<u>DRILL DEPTH:</u>	540FT	25N	10E	21	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	23FT				769,594.09	4,076,237.19
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	1 MI W OF DEXTER			
<u>S.W.L. (AFTER CASING):</u>	47					

LOG ID:**026636**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1970/10/02	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	321FT
<u>DRILL DEPTH:</u>	500FT	25N	10E	23	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	55FT				772,501.12	4,076,036.19
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	ORIGINAL "TEST HOLE I-70" TO 500', PRODUCTION WELL TD @			
<u>S.W.L. (AFTER CASING):</u>			347'			

LOG ID:**019538**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1960/11/04	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	323FT
<u>DRILL DEPTH:</u>	337FT	25N	10E	23	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				772,301.12	4,076,248.19
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	@ DEXTER			
<u>S.W.L. (AFTER CASING):</u>	4					

LOG ID:**021023**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1962/06/15	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	317FT
<u>DRILL DEPTH:</u>	373FT	25N	10E	23	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	70FT				772,701.13	4,076,036.19
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	@ CITY WATER WORKS			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**005767**WELL TYPE

Community Public Well

DRILL DATE: 1939/09/26 TOWNSHIP 25N RANGE 10E SECTION 23 ELEVATION: 320FT
DRILL DEPTH: 80FT UTM X 772,501.12 UTM Y 4,076,248.19
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 30

LOG ID:**001971**WELL TYPE

Community Public Well

DRILL DATE: 1915/00/00 TOWNSHIP 25N RANGE 10E SECTION 23 ELEVATION: 320FT
DRILL DEPTH: 289FT UTM X 772,501.12 UTM Y 4,076,248.19
DEPTH TO BED: 50FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: WATER STRON IN H2S
S.W.L. (AFTER CASING):

LOG ID:**008423**WELL TYPE

Community Public Well

DRILL DATE: 1943/11/ TOWNSHIP 25N RANGE 10E SECTION 23 ELEVATION: 320FT
DRILL DEPTH: 518FT UTM X 772,501.12 UTM Y 4,076,248.19
DEPTH TO BED: 55FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: FLOWS; @ WATER PLANT, TEST HOLE TO 518', COMPLETED
S.W.L. (AFTER CASING): WELL @ 345' TD

LOG ID:**008610**WELL TYPE

Community Public Well

DRILL DATE: 1944/09/12 TOWNSHIP 25N RANGE 10E SECTION 23 ELEVATION: 318FT
DRILL DEPTH: 64FT UTM X 772,501.12 UTM Y 4,076,036.19
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: ON CITY LOT S OF COTTON BELT DEPOT; ORIGINALLY 76' DEEP
S.W.L. (AFTER CASING): 30



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011839**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1952/02/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	327FT
<u>DRILL DEPTH:</u>	58FT	25N	10E	23	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	57FT				772,501.12	4,076,248.19
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	NO PRODUCTION OR CONSTRUCTION DATA			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**025752**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1968/08/06	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	308FT
<u>DRILL DEPTH:</u>	420FT	25N	10E	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	70FT				772,624.13	4,075,643.18
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	SWL +9' ABOVE GROUND; TEST HOLE TO 430'; COMPLETED @			
<u>S.W.L. (AFTER CASING):</u>			370'			

LOG ID:**028929**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	2002/02/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	304FT
<u>DRILL DEPTH:</u>	420FT	25N	10E	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					772,788.13	4,074,942.18
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**012725**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1954//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	317FT
<u>DRILL DEPTH:</u>	365FT	25N	10E	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	305FT				772,688.13	4,075,675.18
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	NO PRODUCTION OR CONSLTRUCTION DATA			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012929**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1954//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	316FT
<u>DRILL DEPTH:</u>	355FT	25N	10E	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				772,688.13	4,075,675.18
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>				

LOG ID:**016303**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1957/07/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	320FT
<u>DRILL DEPTH:</u>	400FT	25N	10E	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				772,470.12	4,075,716.18
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	SAMPLES BELOW 80' NOT LOGGED, MIXED WITH THOSE OF #12929			

LOG ID:**014162**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1955/12/22	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	429FT
<u>DRILL DEPTH:</u>	420FT	25N	10E	27	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					770,825.11	4,074,425.17
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	102	<u>REMARKS:</u>	10-FT SAMPLES			

LOG ID:**023728**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1965/08/17	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	495FT
<u>DRILL DEPTH:</u>	537FT	25N	10E	29	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT				767,374.07	4,074,402.17
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	171	<u>REMARKS:</u>	3 MI SW OF DEXTER			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028450**WELL TYPE

Community Public Well

DRILL DATE: 1981/01/13TOWNSHIPRANGESECTIONELEVATION:

486FT

DRILL DEPTH: 540FT

25N

10E

29

DEPTH TO BED: 141FTUTM XUTM Y

767,427.07

4,074,348.17

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****027852**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1975/06/TOWNSHIPRANGESECTIONELEVATION:

400FT

DRILL DEPTH: 400FT

25N

10E

30

DEPTH TO BED: 10FTUTM XUTM Y

766,744.05

4,075,199.18

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: VERY SLOPPY LOG; 10-FT SAMPLES TO 220'S.W.L. (AFTER CASING):**LOG ID:****022278**WELL TYPE

Private Well

DRILL DATE: 1963/09/23TOWNSHIPRANGESECTIONELEVATION:

465FT

DRILL DEPTH: 130FT

25N

10E

33

DEPTH TO BED: 12FTUTM XUTM Y

769,803.11

4,072,809.15

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 105**LOG ID:****020738**WELL TYPE

Private Well

DRILL DATE: 1962/01/TOWNSHIPRANGESECTIONELEVATION:

489FT

DRILL DEPTH: 280FT

25N

10E

5

DEPTH TO BED: 20FTUTM XUTM Y

768,070.05

4,081,165.25

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2 MI W, 2.5 MI N OF DEXTERS.W.L. (AFTER CASING): 155



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**001675**WELL TYPE

Oil Well

<u>DRILL DATE:</u>	1915//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	432FT
<u>DRILL DEPTH:</u>	2,330FT	25N	10E	7	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				766,915.04	4,078,974.23
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	#1 SAM GARNER; DRILLERS LOG TO 540', SAMPLE LOG BELOW -			
<u>S.W.L. (AFTER CASING):</u>	50		DRY			

LOG ID:**007035**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1941/06/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	370FT
<u>DRILL DEPTH:</u>	95FT	25N	10E	7	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT				765,915.01	4,079,186.24
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**012421**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1953/08/10	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	391FT
<u>DRILL DEPTH:</u>	125FT	25N	10E	7	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				766,015.02	4,079,080.23
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	65					

LOG ID:**008573**WELL TYPE

Oil Well

<u>DRILL DATE:</u>	1944/06/26	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	300FT
<u>DRILL DEPTH:</u>	4,579FT	25N	11E	10	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	64FT				780,043.20	4,079,303.22
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	#4 CRUTCHER; E-LOG BELOW 1000'; NO TOPS BELOW 522'			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**021737**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

293FT

DRILL DEPTH:

88FT

25N

11E

14

DEPTH TO BED:UTM XUTM Y

782,246.22

4,078,908.21

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:GRAY RIDGE, 1.5 MI E OF ESSEX WELL; CASING PULLED - WELL
ABANDONEDS.W.L. (AFTER CASING):

5

LOG ID:**015073**WELL TYPE

Community Public Well

DRILL DATE:

1956/11/12

TOWNSHIPRANGESECTIONELEVATION:

301FT

DRILL DEPTH:

475FT

25N

11E

15

DEPTH TO BED:

75FT

UTM XUTM Y

779,990.20

4,078,855.21

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****021439**WELL TYPE

Private Well

DRILL DATE:

1962/07/

TOWNSHIPRANGESECTIONELEVATION:

296FT

DRILL DEPTH:

65FT

25N

11E

15

DEPTH TO BED:UTM XUTM Y

781,076.21

4,078,700.21

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

0.5 MI SE OF ESSEX

S.W.L. (AFTER CASING):

11

LOG ID:**022487**WELL TYPE

Private Well

DRILL DATE:

1963/12/

TOWNSHIPRANGESECTIONELEVATION:

296FT

DRILL DEPTH:

65FT

25N

11E

28

DEPTH TO BED:UTM XUTM Y

779,738.20

4,075,603.19

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

1 MI S OF ESSEX

S.W.L. (AFTER CASING):

13



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
008742

WELL TYPE
Oil Well

DRILL DATE: 1945/03/29

TOWNSHIP RANGE SECTION
25N 11E 3

ELEVATION: 300FT

DRILL DEPTH: 4,578FT

UTM X UTM Y
780,092.19 4,081,014.23
ZONE 15

DEPTH TO BED: 50FT

S.W.L. (BEFORE CASING):

REMARKS: #1 BARNETT, DRY & ABANDONED

S.W.L. (AFTER CASING):

LOG ID:
020639

WELL TYPE
Private Well

DRILL DATE: 1961/05/29

TOWNSHIP RANGE SECTION
25N 11E 34

ELEVATION: 294FT

DRILL DEPTH: 65FT

UTM X UTM Y
780,574.22 4,074,272.18
ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING): FT

REMARKS: formerly in name of Harold Lindsen - 3 MI S OF ESSEX

S.W.L. (AFTER CASING): 4

LOG ID:
008570

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1944/06/23

TOWNSHIP RANGE SECTION
25N 11E 36

ELEVATION: 294FT

DRILL DEPTH: 610FT

UTM X UTM Y
784,783.26 4,074,472.19
ZONE 15

DEPTH TO BED: 118FT

S.W.L. (BEFORE CASING):

REMARKS: BAUXITE PROSPECT HOLE; MISS LORENA L. THOMASON

S.W.L. (AFTER CASING):

LOG ID:
008569

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1944/06/21

TOWNSHIP RANGE SECTION
25N 12E 18

ELEVATION: 297FT

DRILL DEPTH: 601FT

UTM X UTM Y
784,829.25 4,079,259.21
ZONE 15

DEPTH TO BED: 109FT

S.W.L. (BEFORE CASING):

REMARKS: BAUXITE PROSPECT HOLE

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
025804

WELL TYPE
Community Public Well

DRILL DATE: 1968/11/12 TOWNSHIP 25N RANGE 12E SECTION 8 ELEVATION: 297FT
DRILL DEPTH: 127FT UTM X 786,913.27 UTM Y 4,080,492.22
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 14

LOG ID:
025751

WELL TYPE
Community Public Well

DRILL DATE: 1968/07/12 TOWNSHIP 25N RANGE 12E SECTION 8 ELEVATION: 297FT
DRILL DEPTH: 480FT UTM X 786,978.28 UTM Y 4,080,489.22
DEPTH TO BED: 130FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: FLOWS SWL +17'
S.W.L. (AFTER CASING):

LOG ID:
023166

WELL TYPE
Private Well

DRILL DATE: 1964/10/11 TOWNSHIP 26N RANGE 7E SECTION 12 ELEVATION: 345FT
DRILL DEPTH: 93FT UTM X 744,998.52 UTM Y 4,089,218.52
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 7 MI SW OF PUXICO, 200 YDS S OF HWY T
S.W.L. (AFTER CASING): 15

LOG ID:
023726

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 26N RANGE 7E SECTION 12 ELEVATION: 345FT
DRILL DEPTH: 110FT UTM X 745,198.53 UTM Y 4,089,218.51
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: RT 2, PUXICO
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028268**WELL TYPE

Outcrop Description

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

341FT

DRILL DEPTH:

55FT

26N

7E

13

DEPTH TO BED:

5FT

UTM XUTM Y

744,911.52

4,087,294.49

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:QUARRY 2 MI BELOW DAM - COPRS OF ENGINEERS - DAM
SAFETY PROGRAMS.W.L. (AFTER CASING):**LOG ID:****021227**WELL TYPE

Private Well

DRILL DATE:

1962/05/

TOWNSHIPRANGESECTIONELEVATION:

426FT

DRILL DEPTH:

177FT

26N

8E

14

DEPTH TO BED:

20FT

UTM XUTM Y

752,272.68

4,087,396.44

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

3.25 MI S OF PUXICO ON HWY 51

S.W.L. (AFTER CASING):

85

LOG ID:**022052**WELL TYPE

Private Well

DRILL DATE:

1963/04/

TOWNSHIPRANGESECTIONELEVATION:

436FT

DRILL DEPTH:

148FT

26N

8E

15

DEPTH TO BED:

20FT

UTM XUTM Y

751,133.66

4,087,380.45

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

3 MI S OF PUXICO ON HWY 51 @ ASHERVILLE

S.W.L. (AFTER CASING):

120

LOG ID:**022873**WELL TYPE

Private Well

DRILL DATE:

1964/05/21

TOWNSHIPRANGESECTIONELEVATION:

403FT

DRILL DEPTH:

150FT

26N

8E

15

DEPTH TO BED:

65FT

UTM XUTM Y

751,633.67

4,087,380.44

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

1 MI W OF HWY 51 @ ASHERVILLE

S.W.L. (AFTER CASING):

70



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**022885**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

443FT

DRILL DEPTH:

155FT

26N

8E

15

DEPTH TO BED:

5FT

UTM XUTM Y

750,833.65

4,087,380.45

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

125

LOG ID:**022872**WELL TYPE

Private Well

DRILL DATE:

1964/04/10

TOWNSHIPRANGESECTIONELEVATION:

447FT

DRILL DEPTH:

111FT

26N

8E

15

DEPTH TO BED:

25FT

UTM XUTM Y

750,633.65

4,087,380.45

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: SAMPLES MIXED, CANADIAN & ALLUVIUMS.W.L. (AFTER CASING):

80

LOG ID:**022051**WELL TYPE

Private Well

DRILL DATE:

1963/04/19

TOWNSHIPRANGESECTIONELEVATION:

435FT

DRILL DEPTH:

151FT

26N

8E

2

DEPTH TO BED:

120FT

UTM XUTM Y

753,607.70

4,090,872.47

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: formerly in name of Tim Hutson - 0.5 MI S, 1 MI E OF PUXICOS.W.L. (AFTER CASING):**LOG ID:****022531**WELL TYPE

Private Well

DRILL DATE:

1964/01/22

TOWNSHIPRANGESECTIONELEVATION:

380FT

DRILL DEPTH:

243FT

26N

8E

21

DEPTH TO BED:

150FT

UTM XUTM Y

750,444.64

4,086,347.44

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

52



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**017981**WELL TYPE

Private Well

DRILL DATE: 1958/12/ TOWNSHIP 26N RANGE 9E SECTION 15 ELEVATION: 350FT
DRILL DEPTH: 95FT UTM X 761,965.89 UTM Y 4,086,977.36
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1 MI W, 0.75 MI N OF AID
S.W.L. (AFTER CASING): 20

LOG ID:**019099**WELL TYPE

Private Well

DRILL DATE: 1960/05/20 TOWNSHIP 26N RANGE 9E SECTION 22 ELEVATION: 350FT
DRILL DEPTH: 95FT UTM X 760,782.87 UTM Y 4,085,305.35
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 2 MI W, 0.5 MI N OF AID; VERY POOR YIELD, EXPECTED MUCH
S.W.L. (AFTER CASING): MORE

LOG ID:**007036**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1941/06/ TOWNSHIP 26N RANGE 9E SECTION 26 ELEVATION: 382FT
DRILL DEPTH: 113FT UTM X 763,590.94 UTM Y 4,084,363.32
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: IN LARGE GROVE OF TREES, 200' S OF STEPHENS HOUSE
S.W.L. (AFTER CASING):

LOG ID:**021438**WELL TYPE

Private Well

DRILL DATE: 1962/09/18 TOWNSHIP 26N RANGE 10E SECTION 1 ELEVATION: 383FT
DRILL DEPTH: 98FT UTM X 773,933.08 UTM Y 4,091,744.34
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 3.5 MI N OF BLOOMFIELD
S.W.L. (AFTER CASING): 55



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**013524**WELL TYPE

Private Well

DRILL DATE: 1955/04/27TOWNSHIP RANGE SECTIONELEVATION: 429FTDRILL DEPTH: 110FT

26N 10E 12

DEPTH TO BED: 35FTUTM X UTM Y
774,324.10 4,088,731.31
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 0.25 MI N OF JCT HWY 25 & BLOOMFIELD CITY RTS.W.L. (AFTER CASING): 95**LOG ID:****018547**WELL TYPE

Private Well

DRILL DATE: 1957/05/TOWNSHIP RANGE SECTIONELEVATION: 390FTDRILL DEPTH: 150FT

26N 10E 13

DEPTH TO BED: 20FTUTM X UTM Y
774,903.11 4,087,631.29
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 1 MI E OF BLOOMFIELD; WRONG LOCATION; "PUMPS SAND"S.W.L. (AFTER CASING):**LOG ID:****019781**WELL TYPE

Private Well

DRILL DATE: 1960/11/16TOWNSHIP RANGE SECTIONELEVATION: 403FTDRILL DEPTH: 360FT

26N 10E 13

DEPTH TO BED: 15FTUTM X UTM Y
774,903.11 4,087,529.29
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 1 MI NE OF BLOOMFIELDS.W.L. (AFTER CASING): 80**LOG ID:****013296**WELL TYPE

Private Well

DRILL DATE: 1954/11/16TOWNSHIP RANGE SECTIONELEVATION: 399FTDRILL DEPTH: 165FT

26N 10E 17

DEPTH TO BED: 35FTUTM X UTM Y
768,703.03 4,087,095.32
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 3 MI W OF BLOOMFIELD ON HWY JS.W.L. (AFTER CASING): 75



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**023551**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1965/07/02	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	457FT
<u>DRILL DEPTH:</u>	273FT	26N	10E	23	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				773,648.10	4,086,755.29
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	#4 OF CITY			
<u>S.W.L. (AFTER CASING):</u>	139					

LOG ID:**027395**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1973/08/28	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	435FT
<u>DRILL DEPTH:</u>	327FT	26N	10E	23	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				773,372.09	4,086,815.29
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	BOTH SAMPLE LOG & DRILLERS LOG ON ONE LOG			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**026259**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1969/07/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	443FT
<u>DRILL DEPTH:</u>	270FT	26N	10E	23	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					773,525.09	4,086,707.29
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	NO PRODUCTION OR CONSTRUCTION DATA			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**019232**WELL TYPE

WATER TEST WELL (HOLE)

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	445FT
<u>DRILL DEPTH:</u>	40FT	26N	10E	23	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				773,448.09	4,086,549.29
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	25' SE OF CITY WELL #1			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019233**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

462FT

DRILL DEPTH:

50FT

26N

10E

23

DEPTH TO BED:

5FT

UTM XUTM Y

773,648.10

4,086,549.29

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 10' NE OF GARAGES.W.L. (AFTER CASING):**LOG ID:****019231**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

460FT

DRILL DEPTH:

40FT

26N

10E

23

DEPTH TO BED:

10FT

UTM XUTM Y

773,548.10

4,086,549.29

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: COR CITY LOT @ SALEM & MISSOURI STS.S.W.L. (AFTER CASING):**LOG ID:****019230**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

448FT

DRILL DEPTH:

33FT

26N

10E

23

DEPTH TO BED:

10FT

UTM XUTM Y

773,448.09

4,086,549.29

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: ON E SD OF DELAWARE ST, 50' FROM SENECA ST.S.W.L. (AFTER CASING):**LOG ID:****002123**WELL TYPE

Community Public Well

DRILL DATE:

1925/07/00

TOWNSHIPRANGESECTIONELEVATION:

458FT

DRILL DEPTH:

918FT

26N

10E

23

DEPTH TO BED:

10FT

UTM XUTM Y

773,648.10

4,086,549.29

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 1 BLK N, 1 BLK W OF COURT HOUSES.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011833**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1952/01/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	466FT
<u>DRILL DEPTH:</u>	290FT	26N	10E	23	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	22FT				773,648.10	4,086,549.29
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	145					

REMARKS:**LOG ID:****008443**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1943/12/23	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	458FT
<u>DRILL DEPTH:</u>	288FT	26N	10E	23	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				773,648.10	4,086,445.29
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	125					

REMARKS: 50' DUE E OF #1**LOG ID:****008534**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1944/05/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	475FT
<u>DRILL DEPTH:</u>	40FT	26N	10E	23	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					773,648.10	4,086,549.29
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	3					

REMARKS: FOR SWIMMING POOL; 5' FROM WELL #2**LOG ID:****017610**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1958/07/30	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	510FT
<u>DRILL DEPTH:</u>	170FT	26N	10E	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				773,621.10	4,085,350.28
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	104					

REMARKS:



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020194**WELL TYPE

Private Well

DRILL DATE: 1961/03/09TOWNSHIPRANGESECTIONELEVATION:

559FT

DRILL DEPTH: 146FT

26N

10E

35

DEPTH TO BED: 100FTUTM XUTM Y

772,398.09

4,083,523.26

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2 MI S OF BLOOMFIELD; 10-100 LABLED "PLIOCENE"S.W.L. (AFTER CASING): 110**LOG ID:****020636**WELL TYPE

Private Well

DRILL DATE: 1961/09/26TOWNSHIPRANGESECTIONELEVATION:

563FT

DRILL DEPTH: 145FT

26N

10E

35

DEPTH TO BED: 10FTUTM XUTM Y

773,098.10

4,083,111.26

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2 MI S OF BLOOMFIELDS.W.L. (AFTER CASING): 105**LOG ID:****022272**WELL TYPE

Private Well

DRILL DATE: 1963/09/28TOWNSHIPRANGESECTIONELEVATION:

575FT

DRILL DEPTH: 160FT

26N

10E

35

DEPTH TO BED: 15FTUTM XUTM Y

773,098.10

4,082,802.25

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2.5 MI S OF BLOOMFIELD; WELL COMPLETED @ 147'S.W.L. (AFTER CASING): 120**LOG ID:****004784**WELL TYPE

Unknown Well

DRILL DATE: 1935/12/30TOWNSHIPRANGESECTIONELEVATION:

502FT

DRILL DEPTH: 80FT

26N

10E

5

DEPTH TO BED: 17FTUTM XUTM Y

767,535.99

4,091,726.38

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019091**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1959/11/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	306FT
<u>DRILL DEPTH:</u>	30FT	26N	11E	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					783,392.21	4,091,334.28
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	7.5 MI S OF BELL CITY ON CASTER RIVER; "HARD WATER",			
<u>S.W.L. (AFTER CASING):</u>	17		ABANDONED ?			

LOG ID:**020739**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1961/12/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	359FT
<u>DRILL DEPTH:</u>	20FT	26N	11E	10	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					781,228.19	4,090,266.28
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	2 MI N, 5 MI E OF BLOOMFIELD; GODWIN #2 IS #20736			
<u>S.W.L. (AFTER CASING):</u>	7					

LOG ID:**022279**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1963/08/30	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	335FT
<u>DRILL DEPTH:</u>	305FT	26N	11E	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	12FT				782,855.21	4,087,646.26
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	14					

LOG ID:**004788**WELL TYPE

Stratigraphic test hole (oil & gas)

<u>DRILL DATE:</u>	1936/07/19	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	450FT
<u>DRILL DEPTH:</u>	50FT	26N	11E	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					782,255.21	4,087,545.26
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	SE OF SADDLE IN ROAD, 50' FROM ROAD UNDER 16" BLACK GUM			
<u>S.W.L. (AFTER CASING):</u>			TREE			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004787**WELL TYPE

Stratigraphic test hole (oil & gas)

DRILL DATE: 1936/02/07TOWNSHIP RANGE SECTIONELEVATION: 460FTDRILL DEPTH: 65FT

26N 11E 15

UTM X UTM Y
780,857.19 4,087,444.27
ZONE 15DEPTH TO BED:S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****027065**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP RANGE SECTIONELEVATION: 435FTDRILL DEPTH: 105FT

26N 11E 21

UTM X UTM Y
779,083.17 4,085,727.26
ZONE 15DEPTH TO BED:S.W.L. (BEFORE CASING): FTREMARKS: CLINES ISLAND; CALLED "REWORKED McNAIRY"S.W.L. (AFTER CASING): 15**LOG ID:****004786**WELL TYPE

Stratigraphic test hole (oil & gas)

DRILL DATE:TOWNSHIP RANGE SECTIONELEVATION: 480FTDRILL DEPTH: 70FT

26N 11E 22

UTM X UTM Y
780,589.19 4,086,533.26
ZONE 15DEPTH TO BED: 30FTS.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****008571**WELL TYPE

Oil Well

DRILL DATE: 1944/06/29TOWNSHIP RANGE SECTIONELEVATION: 334FTDRILL DEPTH: 408FT

26N 11E 23

UTM X UTM Y
781,884.20 4,086,744.26
ZONE 15DEPTH TO BED:S.W.L. (BEFORE CASING):REMARKS: TOPS FROM SCHLUMBERGER LOGS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008574**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1944/06/24	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	301FT
<u>DRILL DEPTH:</u>	476FT	26N	11E	25	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	101FT				784,524.24	4,084,439.24
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	BAUXITE PROSPECT HOLE; CARL NEEDHAM TRACT			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**008572**WELL TYPE

Oil Well

<u>DRILL DATE:</u>	1944/06/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	370FT
<u>DRILL DEPTH:</u>	460FT	26N	11E	27	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				779,917.18	4,085,225.26
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	#5 DEXTER NEEDHAM - TOPS FROM SCHLUMBERGER			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**016704**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1957//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	294FT
<u>DRILL DEPTH:</u>	65FT	26N	12E	2	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					790,345.29	4,090,949.24
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	EXP. FIELD, @ BELL CITY			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**020931**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1962/03/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	303FT
<u>DRILL DEPTH:</u>	65FT	26N	12E	2	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					790,345.29	4,091,785.25
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	9 MI W, 3 MI N OF SIKESTON			
<u>S.W.L. (AFTER CASING):</u>	8					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027664**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

475FT

DRILL DEPTH:

475FT

27N

8E

23

DEPTH TO BED:

15FT

UTM XUTM Y

753,551.69

4,095,252.52

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

back-filled to 445', US Dept of Interior

S.W.L. (AFTER CASING):**LOG ID:****013795**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1955/07/17

TOWNSHIPRANGESECTIONELEVATION:

396FT

DRILL DEPTH:

150FT

27N

8E

24

DEPTH TO BED:

25FT

UTM XUTM Y

754,057.70

4,095,352.52

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

also in name of US Wildlife Service - 2 MI NE OF PUXICO ON HWY 51

S.W.L. (AFTER CASING):

57

LOG ID:**022980**WELL TYPE

Private Well

DRILL DATE:

1964/06/

TOWNSHIPRANGESECTIONELEVATION:

395FT

DRILL DEPTH:

104FT

27N

8E

25

DEPTH TO BED:

75FT

UTM XUTM Y

753,805.70

4,094,571.51

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

formerly in name of John Rodgert - on Hwy 51, 0.5 miles N of Puxico

S.W.L. (AFTER CASING):

45

LOG ID:**021796**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

385FT

DRILL DEPTH:

90FT

27N

8E

25

DEPTH TO BED:

40FT

UTM XUTM Y

753,805.70

4,094,571.51

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:formerly listed under name of W.M. STEVENT - 0.5 miles N of Puxico
on Hwy 51S.W.L. (AFTER CASING):

45

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
028439

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1980/12/04	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	450FT
<u>DRILL DEPTH:</u>	1,405FT	27N	8E	26		
<u>DEPTH TO BED:</u>	145FT				<u>UTM X</u>	<u>UTM Y</u>
					752,669.68	4,093,132.50
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> NO PRODUCTION OR CONSTRUCTION DATA - deepened				
<u>S.W.L. (AFTER CASING):</u>	121					

LOG ID:
022951

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1964/06/07	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	400FT
<u>DRILL DEPTH:</u>	115FT	27N	8E	26		
<u>DEPTH TO BED:</u>	25FT				<u>UTM X</u>	<u>UTM Y</u>
					753,576.70	4,093,943.51
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> 1 MI E OF PUXICO				
<u>S.W.L. (AFTER CASING):</u>	38					

LOG ID:
002251

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1929/08/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	370FT
<u>DRILL DEPTH:</u>	508FT	27N	8E	26		
<u>DEPTH TO BED:</u>	45FT				<u>UTM X</u>	<u>UTM Y</u>
					752,976.69	4,093,123.50
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> #1 PUXICO				
<u>S.W.L. (AFTER CASING):</u>	40					

LOG ID:
022882

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1964/05/22	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	412FT
<u>DRILL DEPTH:</u>	120FT	27N	8E	27		
<u>DEPTH TO BED:</u>	20FT				<u>UTM X</u>	<u>UTM Y</u>
					750,956.65	4,093,098.52
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> 2 MI W OF PUXICO				
<u>S.W.L. (AFTER CASING):</u>	80					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**026539**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1969/12/24 TOWNSHIP 27N RANGE 8E SECTION 33 ELEVATION: 400FT
DRILL DEPTH: 500FT UTM X 748,967.61 UTM Y 4,091,853.52
DEPTH TO BED: 35FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: also in name of US Dept of Interior - possibly referred to as Mingo
S.W.L. (AFTER CASING): 125 Wildlife Refuge

LOG ID:**028266**WELL TYPE

Outcrop Description

DRILL DATE: TOWNSHIP 27N RANGE 8E SECTION 33 ELEVATION: 361FT
DRILL DEPTH: 60FT UTM X 749,664.62 UTM Y 4,092,183.51
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: WAPPAPELLO PROJECT - SITE 1 - Mingo Wildlife Refuge
S.W.L. (AFTER CASING):

LOG ID:**023546**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1956/04/28 TOWNSHIP 27N RANGE 8E SECTION 33 ELEVATION: 415FT
DRILL DEPTH: 200FT UTM X 748,964.61 UTM Y 4,091,880.52
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: US Dept of Interior; 0.5 miles off Hwy T, 1.5 miles SW of Puxico
S.W.L. (AFTER CASING): 110

LOG ID:**028230**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1979/01/14 TOWNSHIP 27N RANGE 8E SECTION 33 ELEVATION: 430FT
DRILL DEPTH: 445FT UTM X 748,960.61 UTM Y 4,091,851.52
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: no production or construction data, also possibly referred to as Mingo
S.W.L. (AFTER CASING): Wildlife Refuge



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020675**WELL TYPE

Private Well

DRILL DATE: 1961/09/30TOWNSHIPRANGESECTIONELEVATION:

410FT

DRILL DEPTH: 130FT

27N

9E

11

DEPTH TO BED: 35FTUTM XUTM Y

762,143.84

4,099,771.52

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 3 MI E OF KINDER, 1 MI S OF HWY KS.W.L. (AFTER CASING): 85**LOG ID:****014216**WELL TYPE

Private Well

DRILL DATE: 1955/09/10TOWNSHIPRANGESECTIONELEVATION:

395FT

DRILL DEPTH: 125FT

27N

9E

12

DEPTH TO BED: 80FTUTM XUTM Y

765,224.91

4,098,990.48

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 78**LOG ID:****014220**WELL TYPE

Private Well

DRILL DATE: 1955/08/20TOWNSHIPRANGESECTIONELEVATION:

360FT

DRILL DEPTH: 65FT

27N

9E

2

DEPTH TO BED: 60FTUTM XUTM Y

762,492.84

4,100,047.53

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: LONG 1 X 2 MI SECTIONS.W.L. (AFTER CASING): 35**LOG ID:****014214**WELL TYPE

Private Well

DRILL DATE: 1955/08/13TOWNSHIPRANGESECTIONELEVATION:

391FT

DRILL DEPTH: 110FT

27N

9E

22

DEPTH TO BED: 100FTUTM XUTM Y

760,469.83

4,095,434.47

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 60



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027210**WELL TYPE

Private Well

DRILL DATE: 1972/09/ TOWNSHIP 27N RANGE 9E SECTION 23 ELEVATION: 395FT
DRILL DEPTH: 175FT UTM X 762,682.88 UTM Y 4,096,419.47
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 80

LOG ID:**021552**WELL TYPE

Private Well

DRILL DATE: 1962/10/24 TOWNSHIP 27N RANGE 9E SECTION 24 ELEVATION: 390FT
DRILL DEPTH: 160FT UTM X 765,269.93 UTM Y 4,095,911.44
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: formerly in name of Tom Rainwater - 1.5 MI S OF LEORA
S.W.L. (AFTER CASING): 65

LOG ID:**012817**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1954/04/11 TOWNSHIP 27N RANGE 10E SECTION 1 ELEVATION: 421FT
DRILL DEPTH: 155FT UTM X 775,350.00 UTM Y 4,102,345.49
DEPTH TO BED: 100FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: LONG 1 X 2.3 MI SECTION; @ BELL CITY
S.W.L. (AFTER CASING): 90

LOG ID:**020638**WELL TYPE

Private Well

DRILL DATE: 1961/10/12 TOWNSHIP 27N RANGE 10E SECTION 1 ELEVATION: 399FT
DRILL DEPTH: 110FT UTM X 775,350.06 UTM Y 4,099,988.41
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: ON HWY 25, 7 MI S OF ADVANCE, LONG 1 X 2.3 MI SECTION
S.W.L. (AFTER CASING): 55



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**022275**WELL TYPE

Private Well

DRILL DATE: 1963/06/28TOWNSHIPRANGESECTIONELEVATION:

415FT

DRILL DEPTH: 205FT

27N

10E

1

DEPTH TO BED: 35FTUTM XUTM Y

775,358.04

4,100,946.44

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

formerly in name of Fenton Hood - long 1 X 2.3 mile section; 5 miles W of Bell City

S.W.L. (AFTER CASING): 35**LOG ID:****019736**WELL TYPE

Private Well

DRILL DATE: 1961/01/14TOWNSHIPRANGESECTIONELEVATION:

375FT

DRILL DEPTH: 130FT

27N

10E

12

DEPTH TO BED: 15FTUTM XUTM Y

775,266.07

4,099,434.39

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

8 MI S OF ADVANCE

S.W.L. (AFTER CASING): 50**LOG ID:****019761**WELL TYPE

Private Well

DRILL DATE: 1961/03/29TOWNSHIPRANGESECTIONELEVATION:

406FT

DRILL DEPTH: 148FT

27N

10E

12

DEPTH TO BED: 17FTUTM XUTM Y

775,318.08

4,099,175.39

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

3.5 MI N OF AGUILLA ON HWY 25

S.W.L. (AFTER CASING): 70**LOG ID:****020734**WELL TYPE

Private Well

DRILL DATE: 1961/12/13TOWNSHIPRANGESECTIONELEVATION:

346FT

DRILL DEPTH: 80FT

27N

10E

21

DEPTH TO BED: 30FTUTM XUTM Y

769,633.01

4,095,115.40

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

4 MI W OF AQUILLA

S.W.L. (AFTER CASING): 16



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020421**WELL TYPE

Private Well

DRILL DATE: 1960/04/27TOWNSHIPRANGESECTIONELEVATION:

341FT

DRILL DEPTH: 84FT

27N

10E

22

DEPTH TO BED: 45FTUTM XUTM Y

771,271.03

4,095,536.39

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 5 MI NW OF BLOOMFIELDS.W.L. (AFTER CASING): 35**LOG ID:****020790**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1962/02/03TOWNSHIPRANGESECTIONELEVATION:

339FT

DRILL DEPTH: 165FT

27N

10E

22

DEPTH TO BED: 30FTUTM XUTM Y

771,071.03

4,095,126.39

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 5.5 MI N OF BLOOMFIELDS.W.L. (AFTER CASING): 15**LOG ID:****022822**WELL TYPE

Private Well

DRILL DATE: 1964/01/TOWNSHIPRANGESECTIONELEVATION:

336FT

DRILL DEPTH: 105FT

27N

10E

26

DEPTH TO BED: 40FTUTM XUTM Y

773,089.06

4,094,543.37

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 5 MI N OF BLOOMFIELDS.W.L. (AFTER CASING): 14**LOG ID:****022884**WELL TYPE

Private Well

DRILL DATE: 1964/04/17TOWNSHIPRANGESECTIONELEVATION:

390FT

DRILL DEPTH: 110FT

27N

10E

3

DEPTH TO BED: 90FTUTM XUTM Y

771,824.95

4,102,342.52

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 75



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004785**WELL TYPE

Stratigraphic test hole (oil & gas)

DRILL DATE: 1935/12/20 TOWNSHIP 27N RANGE 10E SECTION 32 ELEVATION: 445FT
DRILL DEPTH: 55FT UTM X 767,876.99 UTM Y 4,093,021.39
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #32-1
S.W.L. (AFTER CASING):

LOG ID:**004782**WELL TYPE

Stratigraphic test hole (oil & gas)

DRILL DATE: 1935/12/30 TOWNSHIP 27N RANGE 10E SECTION 34 ELEVATION: 435FT
DRILL DEPTH: 56FT UTM X 771,259.04 UTM Y 4,091,902.35
DEPTH TO BED: 9FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #34-1, 0.5 MI N OF S LINE, W SD OF RD
S.W.L. (AFTER CASING):

LOG ID:**019755**WELL TYPE

Private Well

DRILL DATE: 1960/10/15 TOWNSHIP 27N RANGE 10E SECTION 35 ELEVATION: 405FT
DRILL DEPTH: 100FT UTM X 772,689.06 UTM Y 4,093,339.36
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 2 MI W OF AQUILLA
S.W.L. (AFTER CASING): 70

LOG ID:**022949**WELL TYPE

Private Well

DRILL DATE: TOWNSHIP 27N RANGE 10E SECTION 4 ELEVATION:
DRILL DEPTH: 125FT UTM X 770,490.91 UTM Y 4,103,059.56
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 4 MI S OF HWY 25 ON HWY BB
S.W.L. (AFTER CASING): 65



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**022968**WELL TYPE

Private Well

DRILL DATE: 1964/07/06TOWNSHIP RANGE SECTION

27N

10E

6

ELEVATION: 433FTDRILL DEPTH: 160FTDEPTH TO BED: 70FTUTM X UTM Y

766,140.88 4,101,432.54

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2 MI N OF LEORA, 5 MI E OF HWY 51S.W.L. (AFTER CASING): 78**LOG ID:****020929**WELL TYPE

Private Well

DRILL DATE: 1962/03/TOWNSHIP RANGE SECTION

27N

10E

9

ELEVATION: 428FTDRILL DEPTH: 170FTDEPTH TO BED:UTM X UTM Y

769,635.99 4,098,977.44

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2 MI S, 2 MI W OF SWINTONS.W.L. (AFTER CASING): 90**LOG ID:****019825**WELL TYPE

Community Public Well

DRILL DATE: 1961/06/21TOWNSHIP RANGE SECTION

27N

11E

1

ELEVATION: 341FTDRILL DEPTH: 102FTDEPTH TO BED:UTM X UTM Y

783,032.12 4,102,333.42

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: LONG 1 X 2 MI SECTION; NO CONSTRUCTION OR
CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****020637**WELL TYPE

Private Well

DRILL DATE: 1961/08/15TOWNSHIP RANGE SECTION

27N

11E

1

ELEVATION: 338FTDRILL DEPTH: 93FTDEPTH TO BED:UTM X UTM Y

783,193.12 4,102,350.42

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: LONG SECTION; IN BELL CITY, 200 FT S OF CROWLEY'S RIDGES.W.L. (AFTER CASING): 20



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018548**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	308FT
<u>DRILL DEPTH:</u>	55FT	27N	11E	10	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					780,718.15	4,099,687.35
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> 1 MI E OF ARDEOLA, 4 MI SW OF BELL CITY, 100 YDS S OF BASE				
<u>S.W.L. (AFTER CASING):</u>	6.5	OF CRLWLEYS				

LOG ID:**018556**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1959/08/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	305FT
<u>DRILL DEPTH:</u>	67FT	27N	11E	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					780,130.15	4,097,679.34
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> 5 MI SW OF BELL CITY				
<u>S.W.L. (AFTER CASING):</u>	10					

LOG ID:**021061**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1962/05/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	452FT
<u>DRILL DEPTH:</u>	145FT	27N	11E	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				775,661.09	4,097,677.37
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> 4 MI N OF AQUILLE; LONG 0.66 x 1 MI SECTION				
<u>S.W.L. (AFTER CASING):</u>	120					

LOG ID:**019749**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1960/11/05	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	376FT
<u>DRILL DEPTH:</u>	158FT	27N	11E	19	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				775,863.10	4,095,400.35
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> LONG 0.66 X 1.3 MI SECTION; 6 MI N, 2 MI E OF BLOOMFIELD				
<u>S.W.L. (AFTER CASING):</u>	55					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020642**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1961/06/23	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	406FT
<u>DRILL DEPTH:</u>	125FT	27N	11E	19	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				775,663.09	4,095,730.36
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	2 MI N OF AQUILLA			
<u>S.W.L. (AFTER CASING):</u>	77					

LOG ID:**004783**WELL TYPE

Stratigraphic test hole (oil & gas)

<u>DRILL DATE:</u>	1935/12/13	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	405FT
<u>DRILL DEPTH:</u>	32FT	27N	11E	19	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	8FT				775,963.10	4,095,863.36
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	#19-1			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**014213**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1955/05/11	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	433FT
<u>DRILL DEPTH:</u>	165FT	27N	11E	2	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				781,679.08	4,102,712.44
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	formerly in name of Charles Carson - LONG 1 X 2.2 MI SECTION			
<u>S.W.L. (AFTER CASING):</u>	95					

LOG ID:**018141**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1959/04/30	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	360FT
<u>DRILL DEPTH:</u>	67FT	27N	11E	2	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				782,279.11	4,102,286.42
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	NE CORNER CITY LIMITS OF BELL CITY, ON CROWLEY'S RIDGE;			
<u>S.W.L. (AFTER CASING):</u>	40		LONG SECTION			

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
018558

WELL TYPE
Private Well

DRILL DATE: 1959/06/ TOWNSHIP 27N RANGE 11E SECTION 21 ELEVATION: 314FT
DRILL DEPTH: 66FT UTM X 778,954.14 UTM Y 4,096,165.34
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 7 MI SW OF BELL CITY; "WILCOX" ON LOG
S.W.L. (AFTER CASING): 9

LOG ID:
028488

WELL TYPE
Stratigraphic test hole (oil & gas)

DRILL DATE: 1981/11/12 TOWNSHIP 27N RANGE 11E SECTION 28 ELEVATION: 356FT
DRILL DEPTH: 343FT UTM X 778,667.14 UTM Y 4,094,972.33
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NRC TEST HOLE #1 - LOWES KITTY LITTER MINE
S.W.L. (AFTER CASING):

LOG ID:
028487

WELL TYPE
Stratigraphic test hole (oil & gas)

DRILL DATE: 1981/11/18 TOWNSHIP 27N RANGE 11E SECTION 28 ELEVATION: 349FT
DRILL DEPTH: 271FT UTM X 778,767.14 UTM Y 4,095,170.33
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NRC TEST HOLE #3, LOWES KITTY LITTER MINE
S.W.L. (AFTER CASING):

LOG ID:
028482

WELL TYPE
Stratigraphic test hole (oil & gas)

DRILL DATE: 1981/07/02 TOWNSHIP 27N RANGE 11E SECTION 28 ELEVATION: 353FT
DRILL DEPTH: 455FT UTM X 778,767.14 UTM Y 4,094,972.33
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NRC TEST HOLE #2, LOWES KITTY LITTER MINE; PIPE TWISTED
S.W.L. (AFTER CASING): OFF AT 455'



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
019748

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1960/08/10	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	438FT
<u>DRILL DEPTH:</u>	145FT	27N	11E	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				780,589.09	4,101,764.42
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	100	<u>REMARKS:</u>	LONG 1 X 2.2 MI SECTION			

LOG ID:
020930

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1962/04/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	473FT
<u>DRILL DEPTH:</u>	180FT	27N	11E	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				778,509.05	4,102,154.45
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	140	<u>REMARKS:</u>	LONG 1 X 2.3 MI SECTION; 3 MI W OF BELL CITY			

LOG ID:
021551

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1962/12/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	460FT
<u>DRILL DEPTH:</u>	155FT	27N	11E	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				779,109.07	4,101,698.43
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	126	<u>REMARKS:</u>	3 MI W OF BELL CITY			

LOG ID:
022486

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1963/08/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	460FT
<u>DRILL DEPTH:</u>	155FT	27N	11E	5	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	6FT				777,208.05	4,101,354.44
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	135	<u>REMARKS:</u>	6 MI S OF ADVANCE; LONG 1 X 2.36 MI SECTION			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008669**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1944//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	444FT
<u>DRILL DEPTH:</u>	173FT	27N	11E	5	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				777,535.02	4,102,716.48
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	LONG SECTION; 4 MI W OF BELL CITY; EXTREMELY POOR			
<u>S.W.L. (AFTER CASING):</u>			SAMPLES			

LOG ID:**021553**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1962/12/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	411FT
<u>DRILL DEPTH:</u>	103FT	27N	11E	6	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				775,421.97	4,103,364.52
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	LONG SECTION; 5 MI S OF ADVANCE, E SD HWY 25			
<u>S.W.L. (AFTER CASING):</u>	84					

LOG ID:**019744**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1960/08/06	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	419FT
<u>DRILL DEPTH:</u>	185FT	27N	11E	8	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				776,569.10	4,098,476.37
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	1 MI E OF HWY 25, 3 MI N OF AQUILLA			
<u>S.W.L. (AFTER CASING):</u>	70					

LOG ID:**020935**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1962/05/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	488FT
<u>DRILL DEPTH:</u>	255FT	27N	11E	8	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				777,569.11	4,098,476.36
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	7 MI N OF BLOOMFIELD			
<u>S.W.L. (AFTER CASING):</u>	155					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
013756

WELL TYPE
Private Well

DRILL DATE: 1955/08/ TOWNSHIP 27N RANGE 11E SECTION 9 ELEVATION: 568FT
DRILL DEPTH: 315FT UTM X UTM Y
DEPTH TO BED: 65FT 779,542.14 4,099,565.35
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: "DRILLED FOR MINERALS, PRACTICALLY NO WATER", "NO
S.W.L. (AFTER CASING): RADIOACTIVITY"

LOG ID:
019908

WELL TYPE
Oil Well

DRILL DATE: 1961/03/ TOWNSHIP 27N RANGE 12E SECTION 28 ELEVATION: 313FT
DRILL DEPTH: 370FT UTM X UTM Y
DEPTH TO BED: 250FT 787,454.27 4,095,591.27
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #1 MELVIN SCHERER - OIL TEST
S.W.L. (AFTER CASING):

LOG ID:
002204

WELL TYPE
Oil Well

DRILL DATE: TOWNSHIP 27N RANGE 12E SECTION 28 ELEVATION: 304FT
DRILL DEPTH: 2,910FT UTM X UTM Y
DEPTH TO BED: 150FT 787,454.27 4,095,591.27
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #1 HIMMELBERGER, NO FORMATIONS IDENTIFIED; DRILLERS
S.W.L. (AFTER CASING): LOG TO 1975'

LOG ID:
018144

WELL TYPE
Private Well

DRILL DATE: 1959/05/09 TOWNSHIP 27N RANGE 12E SECTION 9 ELEVATION: 305FT
DRILL DEPTH: 62FT UTM X UTM Y
DEPTH TO BED: 786,700.23 4,100,404.31
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 2.5 MI S, 3 MI E OF BELL CITY
S.W.L. (AFTER CASING): 6.5



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**013123**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1954/11/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	358FT
<u>DRILL DEPTH:</u>	901FT	28N	10E	11	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	155FT				774,308.77	4,110,706.77
<u>S.W.L. (BEFORE CASING):</u>	22	FT				ZONE 15
<u>S.W.L. (AFTER CASING):</u>	41	FT				

REMARKS: CREVICE @ 655-670'

LOG ID:**018833**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1959/06/10	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	367FT
<u>DRILL DEPTH:</u>	50FT	28N	10E	11	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					773,559.76	4,110,865.78
<u>S.W.L. (BEFORE CASING):</u>		FT				ZONE 15
<u>S.W.L. (AFTER CASING):</u>	30					

REMARKS: 0.25 MI W OF ADVANCE ON HWY C

LOG ID:**013523**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1954/12/26	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	389FT
<u>DRILL DEPTH:</u>	105FT	28N	10E	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	65FT				775,150.90	4,106,029.61
<u>S.W.L. (BEFORE CASING):</u>		FT				ZONE 15
<u>S.W.L. (AFTER CASING):</u>	75					

REMARKS: 3 MI S OF ADVANCE, W SD RD

LOG ID:**022978**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1964/06/12	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	361FT
<u>DRILL DEPTH:</u>	65FT	28N	10E	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				772,833.91	4,104,436.58
<u>S.W.L. (BEFORE CASING):</u>		FT				ZONE 15
<u>S.W.L. (AFTER CASING):</u>	35					

REMARKS: 3 MI W OF HWY 25 NEAR BROWNWOOD



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**007961**WELL TYPE

Private Well

DRILL DATE: 1942/07/13TOWNSHIPRANGESECTIONELEVATION:

364FT

DRILL DEPTH: 118FT

28N

11E

17

DEPTH TO BED: 55FTUTM XUTM Y

779,824.89

4,108,860.67

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****006388**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1935//TOWNSHIPRANGESECTIONELEVATION:

335FT

DRILL DEPTH: 189FT

28N

11E

23

DEPTH TO BED: 10FTUTM XUTM Y

783,664.96

4,107,867.60

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: AT FOOT ON EAST SIDE OF RINGER HILLS.W.L. (AFTER CASING):**LOG ID:****006386**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1935//TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 190FT

28N

11E

23

DEPTH TO BED: 87FTUTM XUTM Y

783,564.95

4,108,176.62

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: DRILLED ON TOP OF RINGER HILL - MINERAL PROSPECTS.W.L. (AFTER CASING):**LOG ID:****006387**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1935//TOWNSHIPRANGESECTIONELEVATION:

450FT

DRILL DEPTH: 290FT

28N

11E

23

DEPTH TO BED: 120FTUTM XUTM Y

783,464.96

4,107,867.61

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: MINERAL PROSPECT HOLE ON TOP OF RINGER HILLS.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
007960

WELL TYPE
Private Well

DRILL DATE: 1942/07/20 TOWNSHIP 28N RANGE 11E SECTION 29 ELEVATION: 428FT
DRILL DEPTH: 144FT UTM X 778,846.94 UTM Y 4,106,553.60
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 100

LOG ID:
003071

WELL TYPE
Oil Well

DRILL DATE: 1924// TOWNSHIP 28N RANGE 11E SECTION 31 ELEVATION: 362FT
DRILL DEPTH: 740FT UTM X 778,367.97 UTM Y 4,105,223.56
DEPTH TO BED: 500FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO FORMATION IDENTIFIED
S.W.L. (AFTER CASING):

LOG ID:
011611

WELL TYPE
Oil Well

DRILL DATE: 1951// TOWNSHIP 28N RANGE 11E SECTION 31 ELEVATION: 403FT
DRILL DEPTH: 1,765FT UTM X 777,467.99 UTM Y 4,104,064.53
DEPTH TO BED: 200FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #1 H.L. BANDY - DRY & ABANDONED
S.W.L. (AFTER CASING):

LOG ID:
009205

WELL TYPE
Oil Well

DRILL DATE: 1944/03/ TOWNSHIP 28N RANGE 11E SECTION 32 ELEVATION: 401FT
DRILL DEPTH: 935FT UTM X 779,993.00 UTM Y 4,104,835.53
DEPTH TO BED: 85FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #1 REHMS
S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

020203

WATER TEST WELL (HOLE)

ELEVATION:

28N 11E 33

UTM X UTM Y
781,721.01 4,105,288.53
ZONE 15

REMARKS: 2 MI N OF BELL CITY - NO CASING

S.W.L. (AFTER CASING): 120

STODDARD